



# XVII. Community Meeting

CaptainCasa

# Remainers

# FIXGRID - Dynamic row sizing, partial rendering of last row

Content		
<b>5 persons:</b>		
1	Graham	James
2	Green	Amanda
3	Adkins	Patrick
4	Bailey	Cole
5	Ware	Cassandra
<b>1 persons:</b>		
1	Griffin	Karen
<b>3 persons:</b>		
1	Grimes	Benjamin
2	Thompson	Susan
3	Francis	Stacey
<b>10 persons:</b>		
1	Patel	Amy
	Robinson	Andrew
SOME FOOTER		

# Attribute ROUNDING


- Before
  - 5 Rounding of 5 for all corners
- Now
  - 5 Rounding of 5 for all corners
  - 5;10;5;10 top,right,bottom,left

# TABBEDLINE cctlbutton



















---



# TIMEPICKER




# PAINTAREALINEITEM

From arrow	To arrow	Central arrow
		
		
		
		
		
		

# PAINTAREALINEITEM

- New attributes
  - MOVINGENABLED
  - RESIZINGENABLED
  - FILLCOLOR





# Drag&Drop and Grids / ScrollPanels

---

- Scrolling triggered by moving mouse on begin/end of scroll-able area

# Definition of a maximum size with percentage width/height

**Some form with fields** ^

Title (max: 400 pixels) ▾

First name

Last name

Zip Code      Town

Country (max: 400 pixels) ▾

**Some form with fields** ^

Title (max: 400 pixels) ▾


First name

Last name


Zip Code      Town

Country (max: 400 pixels) ▾

# SLIDERRANGE




# Attribute TRANSFORM



# FIXGRID feature - Dynamic sizing of header

First name of the person	Last name of the person
Gordon	Walters
Tyler	Watkins
Jennifer	Miller
Melissa	Wilson

# FIXGRID - HTML Export



# Upload stream parsing

```
public class MyUploadStreamContentComfortable
    extends DefaultUploadStreamContentBySeparateOutputStreams
{
    @Override
    public void beginPassing()
    {
    }
    @Override
    public OutputStream passingFileStarted(String fileName)
    {
        ...return here your byte-stream, e.g. FileOutputpuStream...
    }
    @Override
    public void passingFileFinished(String fileName)
    {
        ...
    }
    @Override
    public void endPassing() { }
}
```

# Mobile



# FIXGRID feature - only full columns

First name (2)	Last name (1)	Street (4)	Zip code (5)	Town (3)
Audrey	Murray	Street 0	10000	Town 0
Tyler	Lee	Street 1	10001	Town 1
Daniel	Alvarado	Street 2	10002	Town 2
Carolyn	Kelley	Street 3	10003	Town 3
Gilbert	Collins	Street 4	10004	Town 4
Richard	Foster	Street 5	10005	Town 5
Fernando	Singh	Street 6	10006	Town 6
Michael	Jones	Street 7	10007	Town 7
Karen	Frazier	Street 8	10008	Town 8
Randy	Donaldson	Street 9	10009	Town 9
Victoria	Fields	Street 10	10010	Town 10
Amy	Alvarado	Street 11	10011	Town 11
Stacey	Young	Street 12	10012	Town 12
Randy	Park	Street 13	10013	Town 13

First name (2)	Last name (1)	Town (3)
Audrey	Murray	Town 0
Tyler	Lee	Town 1
Daniel	Alvarado	Town 2
Carolyn	Kelley	Town 3
Gilbert	Collins	Town 4
Richard	Foster	Town 5
Fernando	Singh	Town 6
Michael	Jones	Town 7
Karen	Frazier	Town 8
Randy	Donaldson	Town 9
Victoria	Fields	Town 10
Amy	Alvarado	Town 11
Stacey	Young	Town 12
Randy	Park	Town 13

# PWA - Progressive Web Application



# PWA - Progressive Web Application

```
{
  "short_name": "Demo Workplace",
  "name": "Demo Workplace",
  "icons":
  [
    {
      "src": "ecLntjsfserver/images/cc_192x192.png",
      "type": "image/png",
      "sizes": "192x192"
    },
    {
      "src": "ecLntjsfserver/images/cc_512x512.png",
      "type": "image/png",
      "sizes": "512x512"
    }
  ],
  "start_url": "workplace.workplaceRisc.risc?ccconfirmexit=true",
  "background_color": "#36596d",
  "display": "standalone",
  "theme_color": "#36596d",
  "description": "Demo Workplace - Lots of examples how to
    develop frontends with CaptainCasa Enterprise Client."
}
```

# Drag&Drop <=> Scrolling

- Touch devices
  - Scrolling      Default!
  - Drag&Drop      First stay 200ms on component

# Configuration

# Placeholders in configuration files

```
<logging level="INFO"
        console="true"
        directory="${env.cclogdirectory}"
        outputclassmethod="false"
        useSlf4jbridge="false">
    <loglevelmissingpropertyget level="WARNING" stacktrace="false"/>
</logging>
```

- `${env. ...}` Environment/OS variable
- `${sys. ...}` Java System „-Dxxx=yyy“
- `${ccparam. ...}` Interface **ICConfigParams**
- `CCConfigParams.initializeConfigParams(...)`